REVISIONS								
LTR	ECO	APPD	DATE	DESCRIPTION	DFTR	DATE	CHKR	DATE
A				RELEASED				



NOTES:

1) THIS DRAWING IS SUBJECT TO CHANGE PENDING APPLICABLE STATE AND LOCAL CODES, AND CUSTOMER APPROVAL.
2) CUSTOMER MUST PROVIDE APPLICABLE STATE AND LOCAL CODES TO LIFT-U PRIOR TO DESIGN.
3) DRAWING MUST BE SIGNED BY CUSTOMER AND RETURNED TO LIFT-U PRIOR TO PRODUCTION RELEASE. CUSTOMER APPROVAL SIGNIFIES THAT ALL DIMENSIONS ARE CORRECT TO THEIR SPECIFICATIONS.
4) SEE SHEET 2 OF 3 FOR LIFT SPECIFICATIONS.





ELEVATION VIEW
STEPS CONFIGURATION



ELEVATION VIEW
LIFT PLATFORM AT UPPER LANDING

APPROVAL NOTE:
CONTRACTOR MUST VERIFY LANDING HEIGHT PRIOR TO RELEASE FOR FABRICATION. MEASUREMENT TO BE TAKEN FROM BASE FLOOR AT THE LOWER LANDING TO THE FINISH FLOOR AT THE UPPER LANDING. SEE DETAILS ON SHEET 3 OF 3.

DRAWING CERTIFICATION

CUSTOMER:	
APPROVAL SIGNATURE:	
DATE:	
PROJECT NAME:	
PROJECT LOCATION:	
DRAWING REV: A	

LIFT-U
P.O. BOX 398
ESCALON, CA. 95320
209-838-2400
A DIVISION OF
HOGAN MFG., INC.

THIS DOCUMENT IS AND CONTAINS CONFIDENTIAL TRADE SECRET INFORMATION OF THE COMPANY. NO PART OF IT MAY BE REPRODUCED, STORED IN A RETRIEVAL SYSTEM, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS ELECTRONICALLY, PHOTOCOPYING, RECORDING OR OTHERWISE, WITHOUT THE PRIOR WRITTEN PERMISSION OF HOGAN MFG, INC. THIS DOCUMENT IS LOANED FOR THE LIMITED PURPOSES STATED HEREIN ONLY, AND REMAINS THE PROPERTY OF THE COMPANY.

TITLE		
LIFT CONFIGURATION		
DOCUMENT NO. VMH-08-48	SHEET NO. 1 OF 3	REVISION A



STEPS CONFIGURATION



STEPS RETRACTED
READY FOR PASSENGER INGRESS OR EGRESS



LIFT PLATFORM AT UPPER LANDING
READY FOR PASSENGER INGRESS OR EGRESS



DETAIL A



SECTION B-B
VIEW ROTATED FOR CLARITY



UPPER CONTROLS STATION
REFERENCE ONLY

LIFT SPECIFICATIONS

SPEED:	10 FT/MINUTE MAXIMUM
DRIVE:	2 ACME SCREW JACKS
CAPACITY:	750 LBS. MAX. OPERATING LOAD
VERTICAL TRAVEL:	48 IN.
PLATFORM DIMS:	36 IN. x 55 IN. USEABLE
POWER SOURCE:	208/230 VOLT, 20 AMP, 3 WIRE SINGLE PHASE
CONTROL STATIONS:	LOWER LEVEL AND PLATFORM - LIFT MOUNTED; UPPER CONTROL SHIPPED LOOSE FOR WALL MOUNTING BY OTHERS
EMERGENCY POWER:	BATTERY BACK-UP (UPS) INCULDED
MANUAL OPERATION:	LOWERING MEANS PROVIDED
EXTERIOR FINISH:	STANDARD TEXTURED

LIFT-U
P.O. BOX 398
ESCALON, CA. 95320
209-838-2400
A DIVISION OF
HOGAN MFG., INC.

THIS DOCUMENT IS AND CONTAINS CONFIDENTIAL TRADE SECRET INFORMATION OF THE COMPANY. NO PART OF IT MAY BE REPRODUCED, STORED IN A RETRIEVAL SYSTEM, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS ELECTRONICALLY, PHOTOCOPYING, RECORDING OR OTHERWISE, WITHOUT THE PRIOR WRITTEN PERMISSION OF HOGAN MFG, INC. THIS DOCUMENT IS LOANED FOR THE LIMITED PURPOSES STATED HEREIN ONLY, AND REMAINS THE PROPERTY OF THE COMPANY.

TITLE			
	LIFT CONFIGURATION		
DOCUMENT NO.	SHEET NO.	REVISION	
VMH-08-48	2 OF 3	A	



CROSS-SECTION THROUGH LANDING
OPTION 1



CROSS-SECTION THROUGH LANDING
OPTION 2

LIFT-U
P.O. BOX 398
ESCALON, CA. 95320
209-838-2400
A DIVISION OF
HOGAN MFG., INC.

THIS DOCUMENT IS AND CONTAINS CONFIDENTIAL TRADE SECRET INFORMATION OF THE COMPANY. NO PART OF IT MAY BE REPRODUCED, STORED IN A RETRIEVAL SYSTEM, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS ELECTRONICALLY, PHOTOCOPYING, RECORDING OR OTHERWISE, WITHOUT THE PRIOR WRITTEN PERMISSION OF HOGAN MFG, INC.
THIS DOCUMENT IS LOANED FOR THE LIMITED PURPOSES STATED HEREIN ONLY, AND REMAINS THE PROPERTY OF THE COMPANY.

TITLE		
LIFT CONFIGURATION		
DOCUMENT NO. VMH-08-48	SHEET NO. 3 OF 3	REVISION A